

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S200 and 709/226.ccl.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:19
		S187 and ((server or node near3 (threshold or maximum or upper)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:42
		S131 and ((available or not \$busy) adj (node or server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:42
		cluster and (load adj balanc \$3) and ((reduc\$3 or minimiz \$3 or decreas\$3) adj)reques \$ or flow))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:26
		S78 and (load\$ adj balanc\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:18
		S38 and and (utiliz\$ or busy or active)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:01
		send and receive and request and handle and supply and "709.clas."	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:09
		server and control\$ and device\$ and configuration and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:41
		server and control\$ and device\$ and configuration and xml and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:40

		server near control\$ near device\$ near configuration near xml and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:39
		server near control\$ near device\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:36
		server near control\$ near device\$ and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:36
L1	1172	(add\$4 or allocat\$3) near3 server near3 (pool or cluster)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 12:54
L2	220	l1 and ((remov\$3 or delet\$3 or eras\$3 or de\$allocat\$3) near3 server near3 (pool or cluster))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 12:55
L3	0	l2 and ((down\$load\$3 or instal\$4) near3 application near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 12:56
L4	17	l2 and ((down\$load\$3 or instal\$4) near3 application near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 12:56
L5	4	l4 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 12:56
L6	6306	((down\$load\$3 or instal\$4) near3 application near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 13:01
L7	21	l6 and ((remov\$3 or delet\$3 or eras\$3 or de\$allocat\$3) near3 server near3 (pool or cluster))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 13:01

L8	6	l7 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 13:02
S1	0	wo-0062502-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:55
S2	0	wo-062502-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:55
S3	1	wo-200062502-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 15:50
S4	0	wo-2002002611-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:01
S5	0	wo-02002611-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:01
S6	0	wo-20022611-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:01
S7	1	wo-200202611-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:22
S8	0	us-200202611-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:22
S9	0	us200202611.pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:22

S10	0	us200202611	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:30
S11	16480	server and servers and data and cluster and network and config\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:33
S12	70	send and retrieve and receive and respond and identif\$ and allocat\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:51
S13	3607	server and servers and data and cluster and network and config\$ and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:35
S14	0	S12 and S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:35
S15	0	server near control\$ near device\$ near configuration near xml and "709".clas"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:38
S16	4478	server and control and device and configuration and xml and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:41
S17	617	S11 and S16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:44
S18	0	S2 and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 12:41
S19	31	S17 and UPNP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 15:27

S20	2	"6892230".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 15:32
S21	2	"7130895".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/25 15:32
S22	2	"6801949".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 08:24
S23	0	(allocate and deallocate amd allocation) near server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:52
S24	0	(allocate and de-allocate amd allocation) near server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 15:52
S25	8	(allocate and de-allocate and allocation) near server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:19
S26	2	"6564216".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/26 16:19
S27	3618	server and servers and data and cluster and network and config\$ and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:08
S28	4493	server and control and device and configuration and xml and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/01 13:08
S29	622	S27 and S28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:08

S30	0	send and receive and request and handle and supply and "709.clas"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:09
S31	4582	send and receive and request and handle and supply and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:10
S32	213	S29 and S31	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:43
S33	195	server and servers and configuration near xml and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 13:44
S34	2	"6862617".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 08:24
S35	24	(add adj server) with cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 15:44
S36	19	S35 and utiliz\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 15:59
S37	19	S35 and (utiliz\$ or busy or active)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:00
S38	1825	((remov\$3 or delet\$3) adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:00
S39	1353	S38 and (utiliz\$ or busy or active)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:01

S40	1161	S39 and (add\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:01
S41	286	S40 and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:01
S42	146	S41 and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:04
S43	21	S41 and "718".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:07
S44	134	S42 and (level or scale or maximum)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:05
S45	65	S44 and utilization	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:05
S46	2	S41 and 718/1.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:08
S47	11	S41 and 718/105.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:08
S48	0	S41 and 713/150.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:08
S49	0	S41 and 713/168.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:08

S50	8	S41 and 709/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:09
S51	31	S41 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:09
S52	7	S41 and 709/232.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:09
S53	1	S41 and 709/234.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/14 16:09
S54	4	((remov\$3 or delet\$3) near3 (server or node) near3 (busy or performance or dead or not \$respon\$4)) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 15:46
S55	4	S54 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 15:49
S56	17	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or performance or dead or not \$respon\$4) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 15:52
S57	13	S56 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 15:52
S58	17	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or performance or dead or not \$respon\$4 or (heavily adj utilized)) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:00
S59	17	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or performance or dead or not \$respon\$4 or (heavily adj utiliz\$)) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:00

S60	13	S59 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:00
S61	18	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or performance or dead or not \$respon\$4 or utiliz\$) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:01
S62	2	"7213065".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:03
S63	19	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or performance or dead or not \$respon\$4 or utiliz\$ or burden \$) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:07
S66	14	S63 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:09
S67	1	S66 not S60	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:09
S68	528	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or performance or dead or not \$respon\$4 or utiliz\$ or burden \$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:10
S69	336	S68 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:11
S70	296	S69 and (cluster or network or group or wan)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:12
S71	111	S70 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:12

S72	20	S70 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:12
S73	408	(remov\$3 or delet\$3) near3 (server or node) near3 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:13
S74	210	S73 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:13
S75	95	S74 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:14
S76	62	S74 and "709"/22\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:14
S77	20	S74 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:14
S78	42	S76 not S77	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:18
S79	23	S78 and (load adj balanc\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:19
S80	88	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or utilized)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:22
S81	2	(remov\$3 or delet\$3) near5 (server or node) near5 (busy or utilized) near5 cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:22

S82	58	S80 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:23
S83	15	S82 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:23
S84	43	S82 not S83	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 16:26
S85	2	"7213063".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 11:00
S86	39	cluster and (load adj balanc \$3) and ((reduc\$3 or minimiz \$3 or decreas\$3) adj (reques \$ or flow))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:26
S87	26	S86 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:27
S88	4	S87 and cach	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:27
S89	8	S87 and cach\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:27
S90	18	S87 not S89	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:31
S91	0	(reduc\$3 or minimiz\$3 or decreas\$3) near3 (reques\$ or flow) near3 ((busy or utilized) adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:35

S92	0	(reduc\$3 or minimiz\$3 or decreas\$3) near5 (reques\$ or flow) near5 ((busy or utilized) adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:35
S93	1	(reduc\$3 or minimiz\$3 or decreas\$3) near5 (reques\$ or flow) near5 ((busy or utilized) near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:36
S94	4623	(redirect\$ or reduc\$3 or decreas\$3 or minimiz\$3) near5 request\$ near5 (server or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:37
S95	2676	(redirect\$ or reduc\$3 or decreas\$3 or minimiz\$3) near3 request\$ near3 (server or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:38
S96	539	S95 and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:38
S97	331	S96 and (@ad<"20020907" or @riad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:38
S98	264	S97 and cach\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:39
S99	47	S98 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:39
S100	36	S99 and (load adj balanc\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:40
S101	4	S95 same ((busy or full or utilized) adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:43

S102	1	S101 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 12:43
S103	160	(send\$3 or report\$3) near3 (data or performance or request\$3) near3 server near3 xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:08
S104	32	S103 and (load adj balanc\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:09
S105	26	S104 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:09
S106	10	S105 and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:09
S107	40	mashayekhi.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:47
S108	6	S107 and (n+1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:48
S109	0	S107 and (n+1)"7080378". pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:51
S110	2	"7080378".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 13:51
S111	37	S99 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:26

S112	3	S99 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:26
S113	0	S99 and "713"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:27
S114	1	S99 and "726"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:27
S115	511	midgley.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:27
S116	8	S115 and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:27
S117	13	S115 and nicholas	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:28
S118	5	S117 and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/28 14:28
S119	693	(add\$3 or join\$3 or allocat\$3) near3 server near3 (cluster or pool)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:25
S120	311	S119 and (@ad<"20020907" or @riad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:26
S121	54	S120 and ((available or not \$busy) adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:27

S122	34	S121 and performance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:27
S123	16	S122 and threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:27
S124	18	S120 and (performance adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:58
S125	4	S124 and threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 12:58
S126	40	S120 and (utilization near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:37
S127	14	S126 and ((available or not \$busy) adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:37
S128	12	S127 and performance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:37
S129	7	S128 and threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:37
S130	1574	(add\$3 or join\$3 or allocat\$3) near3 (node or server) near3 (cluster or pool)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:42
S131	748	S130 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:42

S132	141	S131 and ((available or not \$busy) adj (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:42
S133	14	S132 and (performance adj (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:43
S134	111	S132 and performance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:43
S135	12	S134 and (utilization near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:43
S136	7	S135 and threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:43
S137	48	S132 and threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:47
S138	7	S137 and (utilization near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:47
S139	18	S137 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:48
S140	12	S139 not S135	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:48
S141	8	"7080378"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:53

S142	2	"7080378".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:53
S143	2	"6230183".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 13:58
S144	2	"5951694".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 14:33
S145	0	"200300145507"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 15:25
S146	2	"20030014507"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 15:25
S147	2	"6816905".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/09 15:54
S148	1574	(add\$3 or join\$3 or allocat\$3) near3 (node or server) near3 (cluster or pool)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:16
S149	748	S148 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:16
S150	141	S149 and ((available or not \$busy) adj (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:16
S151	48	S150 and threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:16

S152	18	S151 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:16
S153	6	S151 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:17
S154	0	S151 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:17
S155	0	S151 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:17
S156	0	S151 and "709"/232.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:17
S157	0	S151 and "709"/234.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/10 14:17
S158	1	"10526810"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:09
S159	23849	(add\$3 or allocat\$3 or identify \$3 or connect\$3) near4 (new or additional or available) near4 (node or server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:13
S160	115	S159 and ((server or node) near3 (threshold or maximum or upper or above) near3 utiliz \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15
S161	73	S160 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15

S162	21	S161 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15
S163	4	S161 and "709"/223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15
S164	1	S161 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15
S165	3	S161 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15
S166	3	S161 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:15
S167	15510	(add\$3 or allocat\$3 or identify \$3) near4 (new or additional or available) near4 (node or server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:34
S168	6278	S167 and ((server or node) near3 (threshold or maximum or upper or above))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:34
S169	3068	S168 and ((delet\$3 or de \$allocat\$3 or remov\$3 or stop \$3) near3 (server or node))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:37
S170	3068	S168 and ((delet\$3 or de \$allocat\$3 or remov\$3 or stop \$3) near3 (server or node))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:38
S171	1797	S170 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:38

S172	389	S171 and ((pool or cluster) near2 (servers or nodes))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:40
S173	198	S172 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/05 13:40
S174	15510	(add\$3 or allocat\$3 or identify \$3) near4 (new or additional or available) near4 (node or server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:26
S175	6278	S174 and ((server or node) near3 (threshold or maximum or upper or above))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:26
S176	3068	S175 and ((delet\$3 or de \$allocat\$3 or remov\$3 or stop \$3) near3 (server or node))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:26
S177	1797	S176 and (@ad<"20020907" or @riad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:26
S178	389	S177 and ((pool or cluster) near2 (servers or nodes))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:26
S179	198	S178 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:26
S180	181	S179 and (connect\$3 near3 (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:27
S181	0	S179 and (connect\$3 near3 settings near3 (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:28

S182	182	S179 and (perform\$4 near3 (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:28
S183	170	S180 and (perform\$4 near3 (node or server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:28
S184	62	S183 and ((under or less or least or below) near3 utiliz\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:29
S185	62	S184 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:29
S186	11	S184 and "709"/226.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:29
S187	14043	(add\$3 or allocat\$3) near4 (new or additional or available) near4 (node or server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:42
S188	2293	S187 and ((server or node) near3 (threshold or maximum or upper))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:43
S189	1200	S188 and ((delet\$3 or de \$allocat\$3 or remov\$3 or stop \$3) near3 (server or node))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:43
S190	672	S189 and (@ad<"20020907" or @riad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:43
S191	47	S190 and ((under or less or least or below) near3 utiliz\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:43

S192	27	S191 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 11:44
S193	20	S191 not S192	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 12:22
S194	2	"20020066045"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 12:55
S195	2	"20070226357"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/08 08:54
S196	5	"20030233328"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/08 11:50
S197	6	"10147831"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/08 11:53
S198	2	"6230183".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/08 11:54
S199	3	"20020069369"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/08 11:57
S200	1725	(add\$3 or join\$3 or allocat\$3) near3 (node or server) near3 (cluster or pool)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 11:37
S201	7	S200 and (port near2 settings)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 11:37

S202	4	S201 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 11:38
S203	146	S200 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S204	45	S200 and 709/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S205	763	S200 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S206	2	S201 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S207	91	S205 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S208	29	S205 and 709/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S209	9	S205 and 709/232.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S210	1	S205 and 709/234.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:20
S211	1172	(add\$4 or allocat\$3) near3 server near3 (pool or cluster)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:43

S212	219	S211 and ((remov\$3 or delet\$3 or de\$allocat\$3) near3 server near3 (pool or cluster))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:45
S213	1	S212 and (upper near3 utilization)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:48
S214	1170	"l33" and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:49
S215	0	S213 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:49
S216	71	S212 and (@ad<"20020907" or @rlad<"20020907")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:49
S217	46	S216 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:50
S218	14	S216 and "709"/224.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:50
S219	19	S216 and "709"/226.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:50
S220	22	S216 and utilization	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:51
S221	17	S220 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:51

S222	5	S220 not S221	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 17:01
S223	49	S216 not S220	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 17:11
S224	29	S217 not S220	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 17:11
S225	0	S216 and (upper near3 (performance or utilization or busy))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 18:12

11/17/2009 2:11:09 PM**H:\east back\10526810.wsp**